SPProLevel® 200

Flatness and levelling package with IT







Content of Starter Package with IT for Flatness and Level

SP ProLevel® 200



T430 Self Aligning Rotational and Levelling Laser (BG 832500)

The T430 is the first high precision, self calibrating and self aligning laser source in the world. The laser can be completely controlled by a PC. This device is the second generation of digital laser from Status Pro. Even a self aligning with the sensors is possible just by a click in the software. The comple equipment is connected by Bluetooth so that the handling is as easy as possible.



R260 Laser Receiver (BG 832600)

The R260 measures the position of the rotating laser beam up to 50m distance. A display on top of the receiver present the measured values from the 60mm CCD and in combination with the mirror you can read the values from the top, the front or from the back!

Additional a LED at the front shows the current position of the laser-reference plane. Furthermore the keypad on the side allows to control the receiver and the laser. So complete measurememments can be performed without any IT.

If you add the optional Software to the system you can capture the points by pressing the red measure button.



□ □ 42 ○ Rugged UMPC (IT 200510)

Rugged UMPC for industrial on-site.

The UMPC offers shockproof design and rubber grips.

- Shock resistant
- Water resistant



R2xx mount for adapter

(BG 831550)



Magnetic base with low profile magnet and measurement stud

(BG 832525)



3x Battery Pack Li-Ion for T4xx and R2xx



Charger for two Li-Ion batteries



Launchpad Software with starter license (SW 400010)


With its newly updated Status Pro Software, the launchpad is perfectly equiped to work with the self-calibrating T430 rotation laser. Together they are an innovative combination of hard and software, enabling useful pre-adjustments for measurement and results in read-out.



ProLevel V2 Software with starter license for R2xx (SW 200030)

ProLevel V2 – Software for optimum surface measurement

- Automatically connection management, wireless via Bluetooth
- · Measurement of unlimited points
- · Free positioning of point coordinates
- · Zeroing of three points or best-fit analysis
- Adjustment with live values
- 3D view
- · Data view with all values and calculations
- One click export of all graphics and data in table format
- Easy to use touchscreen software



Rugged laser case for T4xx system (BG 990114)

Content:

BG 832500	T430 self-levelling sweep laser
BG 832600	R260 Laser Receiver, 60 mm detector, bluetooth,
	with mirror for display
BG 831550	R2xx mount for adapter
BG 832525	Magnetic base with low profile magnet and
	measurement stud
BT 800071	Rechargeable battery Li-Ion for R2xx, R5xx, D140
BG 831680	Charger for 2 Li-lon batteries
IT 200420	DU420 rugged 10" tablet PC with protection cover
SW 400010	Software Launchpad for controlling the T4xx lase
	starter license
SW 200030	Software ProLevel v2 for R2xx, starter license
BT 990054	Plastic versatile box
BG 990114	Rugged laser case with foam inlays, IP65,
	EXCLUSIVE
	BG 832600 BG 831550 BG 832525 BT 800071 BG 831680 IT 200420 SW 400010 SW 200030 BT 990054



Please contact us for more information.





Status Pro Maschinenmesstechnik GmbH Mausegatt 19 · D-44866 Bochum

Phone: +49 (0) 2327 - 9881 - 0 + 49 (0) 2327 - 9881 - 81

www.statuspro.com · info@statuspro.com



Newton Srl Via del Sorgo, 12 - 30173 Mestre - VE T. 041 5369164 - Fax. 041 612554 www.allineamentolaser.com